

FENNER (INDIA) LIMITED
POWER TRANSMISSION DIVISION
MULTI-RIB POLY-V PULLEYS

PJ Section- 8 Grooves		PJ Section- 12 Grooves	
Outer	TLB	Outer	TLB
Dia.	Size	Dia.	Size
(mm)		(mm)	
75	1108	75	1210
80	1210	80	1210
85	1210	85	1210
90	1610	90	1610
95	1610	95	1610
100	1610	100	1610
106	1610	106	1610
112	1610	112	1610
118	1610	118	1610
125	1610	125	2012
132	1610	132	2012
140	1610	140	2517
160	2012	160	2517
180	2012	180	2517
200	2012	200	2517
224	2012	224	2517
250	2012	250	2517
315	2012	315	2517
355	2517	355	2517
400	2517	400	2517

PJ Section- 16 Grooves		PJ Section- 20 Grooves	
Outer	TLB	Outer	TLB
Dia.	Size	Dia.	Size
(mm)		(mm)	
75	1210	75	1210
80	1210	80	1210
85	1610	85	1610
90	1610	90	1610
95	1610	95	1610
100	1610	100	1610
106	1610	106	1610
112	1610	112	1610
118	2012	118	2012
125	2012	125	2012
132	2012	132	2012
140	2517	140	2517
160	2517	160	2517
180	2517	180	2517
200	2517	200	2517
224	2517	224	2517
250	2517	250	2517
315	2517	315	2517
355	2517	355	2517
400	3020	400	3020

PL Section- 8 Grooves		PL Section- 12 Grooves	
Outer	TLB	Outer	TLB
Dia.	Size	Dia.	Size
(mm)		(mm)	
75	1210	75	1215
80	1210	80	1215
85	1610	85	1615
90	1610	90	1615
95	1610	95	1615
100	1610	100	1615
106	1610	106	1615
112	1610	112	1615
118	1610	118	1615
125	2012	125	2517
132	2012	132	2517
140	2517	140	2517
160	2517	160	2517
180	2517	180	2517
200	2517	200	3020
224	2517	224	3020
250	2517	250	3020
315	3020	315	3020
355	3020	355	3020
400	3020	400	3525
500	3020	500	3525
560	3020	560	3525
630	3020	630	3525
800	3020	800	3525

PL Section- 16 Grooves		PL Section- 20 Grooves	
Outer	TLB	Outer	TLB
Dia.	Size	Dia.	Size
(mm)		(mm)	
85	1615		
90	1615		
95	1615		
100	1615		
106	2012	106	2012
112	2012	112	2012
118	2012	118	2012
125	2517	125	2517
132	2517	132	2517
140	2517	140	2517
160	2517	160	2517
180	3020	180	3020
200	3020	200	3020
224	3020	224	3020
250	3020	250	3020
315	3525	315	3535
355	3525	355	3535
400	3525	400	3535
500	3525	500	3535
560	3525	560	3535
630	3525	630	3535
800	4030	800	4040

PM Section- 8 Grooves		PM Section- 12 Grooves	
Outer	TLB	Outer	TLB
Dia.	Size	Dia.	Size
(mm)		(mm)	
180	3020	180	3020
200	3020	200	3535
224	3020	224	3535
250	3020	250	3535
315	3525	315	3535
355	3525	355	3535
375	3525	375	3535
400	3525	400	3535
425	3525	425	4040
450	3525	450	4040
475	3525	475	4040
500	3525	500	4040
530	4030	530	4545
560	4030	560	4545
630	4030	630	5040
800	4030	800	5040
1000	4535	1000	5040

PM Section- 16 Grooves		PM Section- 20 Grooves	
Outer	TLB	Outer	TLB
Dia.	Size	Dia.	Size
(mm)		(mm)	
180	3030	180	3030
200	3535	200	3535
224	3535	224	3535
250	3535	250	3535
315	3535	315	4040
355	3535	355	4040
375	4040	375	4545
400	4040	400	4545
425	4545	425	5050
450	4545	450	5050
475	4545	475	5050
500	4545	500	5050
530	5050	530	5050
560	5050	560	5050
630	5050	630	5050
800	5050	800	5050
1000	5050	1000	5050